



# TeamViewer for Salesforce

## Configuration Guide

---

Rev 3.0-10/27/202020



# 1 Contents

<b>1</b>	<b>Introduction .....</b>	<b>4</b>
1.1	About TeamViewer for Salesforce .....	4
1.2	About this manual .....	4
<b>2</b>	<b>Installation .....</b>	<b>5</b>
2.1	Getting the TeamViewer App.....	5
2.2	Performing the installation .....	5
2.2.1	Starting the installation.....	5
2.2.2	Selecting the Salesforce Org to install to .....	6
2.2.3	Selecting who to make the app available for.....	6
2.2.4	Confirming the installation .....	7
2.3	Uninstalling TeamViewer from your Salesforce Org.....	8
<b>3</b>	<b>Configuration.....</b>	<b>9</b>
3.1	Configure chatter.....	9
3.2	Assigning permission set.....	9
3.3	Configuring the page layout .....	11
3.3.1	Example flow to add the TeamViewer components to the Case page layout in a salesforce lightning environment .....	13
3.3.2	Add TeamViewer unattended access to Assets page .....	16
3.3.3	Add TeamViewer unattended connections to Assets page .....	16
3.3.4	Example flow to add the TeamViewer components to the Case page layout in a salesforce classic environment .....	17
3.3.5	Add TeamViewer ID field in Assets page .....	20
3.4	Configuring an email template.....	20
<b>4</b>	<b>Using TeamViewer for Salesforce .....</b>	<b>22</b>
4.1	Setup.....	22
4.1.1	Session settings.....	22
4.1.2	Supported objects.....	22
4.1.3	Setup custom recipient field .....	23
4.1.4	Setup script token .....	24
4.2	Sign in .....	26
4.3	Remote control session .....	27
4.3.1	Create remote control session.....	27
4.3.2	Share remote control session .....	28
4.3.3	Starting remote control session.....	29



4.3.4	Closing remote control session.....	32
<b>4.4</b>	<b>Assist AR Session .....</b>	<b>33</b>
4.4.1	Create Assist AR session.....	33
4.4.2	Share Assist AR session via SMS.....	33
4.4.3	Share Assist AR session via email.....	35
4.4.4	Starting the Assist AR session .....	36
4.4.5	Closing a Assist AR session .....	36
<b>4.5</b>	<b>Create New Session .....</b>	<b>37</b>
4.5.1	Create a new session with remote control session enabled .....	37
4.5.2	Create a new session with Assist AR session enabled .....	37
4.5.3	Create a new session with both remote control and Assist AR sessions enabled .....	38
<b>4.6</b>	<b>TeamViewer History .....</b>	<b>38</b>
<b>4.7</b>	<b>Connection Report.....</b>	<b>39</b>
4.7.1	Connection report for Assets.....	40
<b>4.8</b>	<b>Companywide Connection Report.....</b>	<b>41</b>
<b>4.9</b>	<b>TeamViewer Reports .....</b>	<b>41</b>
4.9.1	Importing the report data from the TeamViewer Backend.....	43
4.9.2	Create Reports with TeamViewer and Salesforce data .....	46
<b>4.10</b>	<b>Event log .....</b>	<b>51</b>
<b>4.11</b>	<b>Enable Unattended Access to Registered Devices.....</b>	<b>51</b>
<b>4.12</b>	<b>TeamViewer Webbased Version .....</b>	<b>54</b>
<b>4.13</b>	<b>Optional Session Context .....</b>	<b>55</b>
<b>4.14</b>	<b>TeamViewer MyDevices .....</b>	<b>56</b>
<b>4.15</b>	<b>TeamViewer Session Notification.....</b>	<b>56</b>
4.15.1	Enable TeamViewer notification in Salesforce classic .....	57
4.15.2	Enable TeamViewer notification in the Salesforce console.....	58
4.15.3	Enable TeamViewer notification in Salesforce lightning .....	58
<b>4.16</b>	<b>Support for Experienced Cloud.....</b>	<b>60</b>
4.16.1	Add TeamViewer components to the experience cloud layout .....	60
4.16.2	View the TeamViewer components in the experience cloud .....	63



# 1 Introduction

## 1.1 About TeamViewer for Salesforce

The TeamViewer integration for Salesforce embeds TeamViewer remote control functionality into your Salesforce Service and Sales Cloud environments.

- Create and join a support session directly from a Salesforce case, account, lead, opportunity, contacts, and other custom objects added as supported objects.
- Remotely control the customer's device
- Remote Control Sessions automatically added to the Connection report in the TeamViewer Management Console
- Create consolidated reports about your company's teamviewer connections
- View a device list (Correct naming is needed... AVE)
- Support for Pilot Sessions

With TeamViewer, you can easily create TeamViewer Service Cases and provide remote support right from various Salesforce objects such as cases, leads, accounts, opportunities, contacts, and custom objects. The remote troubleshooting experience is improved by optimizing communication between users and Call Center staff. Remote control has been proven to increase efficiency of service desks and improve customer satisfaction significantly.

## 1.2 About this manual

This manual describes the installation and configuration of the TeamViewer App for Salesforce Cloud. Moreover, it provides a short overview of the various features provided by the application.



# 2 Installation

## 2.1 Getting the TeamViewer App

The TeamViewer App is available on Salesforce AppExchange:

<https://appexchange.salesforce.com/listingDetail?listingId=a0N3A00000EFmSYUA1>

Or you can go to <https://appexchange.salesforce.com/> and search for “TeamViewer” on the Apps search field.

## 2.2 Performing the installation

Before starting the installation process of the TeamViewer package, the Chatter feature must be enabled. Please review the configuration settings mentioned in 3.1 to find out how to enable the Chatter feature for your org.

### 2.2.1 Starting the installation

Once you are at the TeamViewer Listing page on the AppExchange, select the “Get It Now” button on the top right corner of the Listing as shown in Figure 1 below.




Figure 1



## 2.2.2 Selecting the Salesforce Org to install to

Once you have selected to download TeamViewer, you should see the options presented in *Figure 2* to select the type of Salesforce Org you want to install into.




Figure 2

**Note:** If you're installing into a sandbox, replace the `www.salesforce.com` portion of the installation link with `test.salesforce.com`. The package is removed from your sandbox organization whenever you create a new sandbox copy.

For the purpose of this document, we will assume that the user selects to 'Install in Production', which will be the most common case.

Once you have selected the type of Org, you will be prompted to login to the org you want to install into with your Salesforce credentials.

## 2.2.3 Selecting who to make the app available for

Once you have logged in, you will see the following options (*Figure 3*) with regards to who to make this app available for.

For TeamViewer for Salesforce Cloud app, you should choose the option "Install for All Users" - as it's an application that is intended to be used by everyone who is working on Customer Service or Sales roles – and click the **Install** button.




Figure 3



## 2.2.4 Confirming the installation

Once you have selected to install the app on the previous step, you will be presented with the notification screen to allow TeamViewer to contact 3<sup>rd</sup> party websites, as shown in Figure 4. This is required in order for TeamViewer to function properly as it needs to contact the TeamViewer servers to set up remote connections.

Absolutely no data outside what is needed to setup the remote control session will be sent to TeamViewer Servers.

Enable the “**Yes, grant access to these third-party web sites**” checkbox and click the **Continue** button.

### Approve Third-Party Access

---

This package may send or receive data from third-party websites. Make sure you trust these websites. [What if you are unsure?](#)

Website	SSL Encrypted
webapi.teamviewer.com	<input checked="" type="checkbox"/>

Yes, grant access to these third-party web sites

Continue
Cancel

Figure 4

Following the previous step, you'll see a message that describes the progress and a confirmation message after the installation is complete.

In addition, you'll get a confirmation message to your Salesforce Org linked email account as below.

Your request to install package "TeamViewer for Salesforce V2.122" was successful.

Organization: *Organization* (000000000001234)

User: *Username* (000000000001235)

Package: TeamViewer for Salesforce (000000000001236)

Some components, such as custom objects, custom report types, and workflow rules, must be activated using the package deploy process, before they are available to your organization.



## 2.3 Uninstalling TeamViewer from your Salesforce Org

**Note:** Before uninstalling the app, you will have to unassign the permission set and remove the components from page layout.

To uninstall TeamViewer from your Salesforce Org, go to Setup → Build → Installed Packages, choose the package “TeamViewer for Salesforce” and click uninstall.

### Installed Packages

On Force.com AppExchange you can browse, test drive, download, and install pre-built apps and components right into your salesforce.com environment.

Apps and components are installed in packages. Any custom apps, tabs, and custom objects are initially marked as “In Development” and are not deployed using the other features in setup or as a group by clicking Deploy.

Depending on the links next to an installed package, you can take different actions from this page.

To remove a package, click **Uninstall**. To manage your package licenses, click **Manage Licenses**.

Installed Packages				
Action	Package Name	Publisher	Version Number	Namespace Prefix
<a href="#">Uninstall</a>	<a href="#">TeamViewer for Salesforce</a>	TeamViewer GmbH	1.3.1	sitv
<a href="#">Uninstall</a>	<a href="#">Salesforce and Chatter Apps</a>	Salesforce.com	1.14	sf_chtr_apps
	Description This package contains Connected Applications for the officially supported Salesforce apps for iOS and Android and C			

Figure 5





# 3 Configuration

This section describes how to configure the Page layout in the Cases screen to display the main TeamViewer components as well as how to make sharing the session code easier through email or chatter templates.

## 3.1 Configure chatter

Go to Setup → Chatter → Chatter Settings and enable the Chatter feature in general (must be done before installation). To view the quick actions, you need to enable “**Actions in the Publisher**” setting.




Figure 6

## 3.2 Assigning permission set

There are 2 permissions set available with package – TeamViewer Administrator and TeamViewer user. Admin is able to assign one of this permission set to user.




Figure 7



- 1) Click on one of the permission sets e.g., TeamViewer User.
- 2) Click on “Manage Assignments”.




Figure 8

- 3) Click on “Add Assignments”.




Figure 9

- 4) Select one of the users and click on “Assign” button.




Figure 10



### 3.3 Configuring the page layout

In order to view the TeamViewer components and make it seamless and intuitive for your users to take advantage of the TeamViewer features, you will need to customize each object page layout to make the TeamViewer component visible. There is complete flexibility on how to present TeamViewer, but we have included below an example of a fairly standardized configuration for each object.

Below are some examples of TeamViewer components layout in cases for Salesforce Classic and Lightning experience mode.

#### Salesforce classic




Figure 11: TeamViewer Session details in Salesforce classic




Figure 12: TeamViewer Session history in Salesforce classic



## Salesforce Lightning




Figure 13: TeamViewer Session details in Salesforce lightning




Figure 14: TeamViewer Session history in Salesforce lightning




Figure 15: TeamViewer Connection report per case



### 3.3.1 Example flow to add the TeamViewer components to the Case page layout in a salesforce lightning environment

- 1) Open a case record in Lightning.
- 2) Click on the gear icon on top right of the page and select “Edit Page”
- 3) The edit page will have 4 custom managed components provided from TeamViewer:
  - a) connectionReport
  - b) session
  - c) sessionHistory
  - d) teamViewerUnattendedAccess




Figure 16

- 4) The User is able to drag and drop these components to anywhere on the page layout.
- 5) We recommend adding these components to a new tab, click on “Add Tab” button.




Figure 17

- 6) Click on the newly added tab from tab list on right hand side. Click on “Details” and select “Custom”.




Figure 18

7) In “Custom Label” field give the tab name as “TeamViewer” and click on “Done”.




Figure 19

8) Click on the added tab on page layout and drag and drop “session” component to it.




Figure 20

9) Add another tab for history with name “TeamViewer History” (Click on Add Tab button -> Select the newly created tab from right hand side -> Click on Details -> Select Custom -> Fill name as TeamViewer History -> Click on Done button).

10) Click on the newly created tab and drag and drop sessionHistory component to it.




Figure 21

- 11) Add a new tab named “Connection Report” (Click on Add Tab button -> Select the newly created tab from right hand side -> Click on Details -> Select Custom -> Fill name as Connection Report -> Click on Done button).
- 12) Click on the newly created tab and drag and drop connectionReport component to it.




Figure 22

- 13) The connection report can have 2 forms – Desktop and mobile. By default, the value will be Desktop.




Figure 23



14) Click on “Save” button and then “Back” button.




Figure 24

15) This will load the case page with added components.

16) Similar way, add TeamViewer components to other objects like account, contact, lead, opportunities, assets, and custom objects.

### 3.3.2 Add TeamViewer unattended access to Assets page

- 1) Open an Asset record
- 2) Click on the gear icon on top right of the page and select “Edit Page”
- 3) Add a new tab “Unattended access”.
- 4) Drag and drop “TeamViewer unattended access” to the tab




Figure 25

5) Click on “Save” button and then “Back” button

### 3.3.3 Add TeamViewer unattended connections to Assets page

- 1) Open Asset page and select “Edit Page”
- 2) Add a new tab “Unattended connection”
- 3) Drag and drop “TeamViewer unattended connections” to the tab






Figure 26

- 4) Select “Desktop” or “Mobile” from the “Form Factor” dropdown
- 5) Click on “Save” and click on “Back”

### 3.3.4 Example flow to add the TeamViewer components to the Case page layout in a salesforce classic environment

- 1) In Classic mode, open a case and click on the “Edit Layout” option.




Figure 27

- 2) Drag and drop the section to the page layout




Figure 28



- 3) Add a section name as “TeamViewer”

**Section Properties**

Section Name:

Display Section Header On:  Detail Page  
 Edit Page

**Layout**

1-Column  2-Column

OK Cancel

Figure 29

- 4) Add the Visualforce Page “Session” to the new section




Figure 30

- 5) The size and the height of the component can be customized. Default height is 200.
- 6) Add the “**TeamViewer**” quick action




Figure 31

- 7) Add the TeamViewer History by adding a new section “TeamViewer History”




Figure 32

- 8) Add the Visualforce Page “**Session History**” to the new.




Figure 33

- 9) Click on **Save**
- 10) Similar way we can configure page layout for account, contact, lead, opportunity, and custom object.

### 3.3.5 Add TeamViewer ID field in Assets page

- 1) In Classic mode, open an asset and click on the “Edit Layout” option.
- 2) Drag and drop “**TeamViewer ID**” field under Fields to the Asset Information section.




Figure 34

- 3) Click on “Save” button.

## 3.4 Configuring an email template

In order to make sharing the session URL easier (explained in more detail in chapter 4), you can configure an email template. This will enable you to send the URL to the submitter of a case with a one-click action.

Go to Setup → Communication Templates → Email Templates and select the folder “TeamViewer Templates”. Choose the template you want to edit or create a new one. You **must** name the template in the description “**teamviewer\_{Objectname}\_template**” to



make it visible on the share option. {Objectname} is the name of the object to which you want to send email.

Within the package there is already a default email template defined.

An example email template is shown below:

Dear {!TeamViewerCase\_\_c.ParentRecordName\_\_c},

A TeamViewer remote support session has been created to solve your case.

Please follow the link to join the remote support session:

{!TeamViewerCase\_\_c.tvCustomerLink\_\_c}

Best regards  
{!User.Name}



# 4 Using TeamViewer for Salesforce

## 4.1 Setup

To set up the TeamViewer App a user with administrator rights must be logged in. Select “TeamViewer Administration” from the App Launcher. The TeamViewer Administration page provides the following options: Session Settings and Supported Objects.

### 4.1.1 Session settings

The Salesforce Administrator is able to allow/restrict functionality to create new sessions of type: Remote Control Session and Assist AR Session.

- 1) Check one or both checkboxes “Allow RC Session” “Allow Assist AR Session”
- 2) Click “Execute”



Figure 35

### 4.1.2 Supported objects

By default, the app support 6 objects – account, contact, lead, case, assets, and opportunities. Admin is able to add support for additional objects via this section.

- 1) Click on “Supported Objects”.



Figure 36

- 2) This will load the Custom Metadata Types page with existing supported objects.
- 3) Click on “New” button.




Figure 37

- 4) Fill “Label”, “Email Template Description”, “supported Object” and “Name Field”.
- 5) Click “Save”.




Figure 38

### 4.1.3 Setup custom recipient field

If you want the “Custom Recipient E-Mail” field needs to be editable, you need to setup it in supported object.

- 1) Click on “Supported Objects” from Administration page.
- 2) Click on “Edit” option of the corresponding object.




Figure 39



- 3) Select the “Allow Custom Recipient?” checkbox.
- 4) Click on “Save”.




Figure 40

#### 4.1.4 Setup script token

On TeamViewer Administration page admin is able to set a script token to perform global actions that interact with the TeamViewer backend.

##### Creating admin token

This token is created in the TeamViewer MCO.

**Note:** It is assumed that the administrator has created a company profile on TeamViewer. For more information on how to setup a company profile and add users visit <https://community.teamviewer.com/t5/Knowledge-Base/How-to-add-Users-to-a-Company-Profile/ta-p/3573>.

- 1) Go to <https://login.teamviewer.com>
- 2) Go to “Profile” on top right corner and select *Administer <your\_company\_profile>*

**Note:** You will need to have a **Corporate or higher** TeamViewer license to be able to use this functionality.



Figure 41

- 3) Go to “Apps” and select “Create Script Token” button






Figure 42

## 4) Setup permission as below

Salesforce Admin token

Admin token for the TeamViewer Salesforce Integration

**Session management**  
Create sessions, view all sessions, edit all sessions of the company, edit own sessions, view own sessions

**Group management**  
Read groups

**Connection reporting**  
Read connection entries

**Computers & Contacts**  
View entries

**Event logging**  
Allow requesting all event logs

Save

Figure 43



- 5) Click “Save” to generate the Script Token

### Setup script token in Salesforce

- 1) Copy the generated token in the step above and paste in the respective field on the TeamViewer Administration page.




Figure 44

Fill the token and click on “Execute” button. If the token is valid, it will be used for all administrative tasks, especially for to obtain connection reports and match assets.



Figure 45

## 4.2 Sign in

Once you have installed and customize the page layout with TeamViewer components, on loading the page for first time, you will be prompted to sign in your TeamViewer account.




Figure 46

- 1) Click on “Login to your TeamViewer account”.



Note: If you do not have a TeamViewer account yet a TeamViewer account can be created directly on the sign in screen, at <https://login.teamviewer.com> or through the native TeamViewer client.

TeamViewer

## Sign In

Please sign in to continue your access request

E-Mail  
john@teamviewer.com

Password  
\*\*\*\*\*

[I forgot my password](#)

Figure 47

- 2) You will then need to approve the permissions for the Salesforce application to access your TeamViewer account.

## Request for permission

Salesforce for TeamViewer is requesting the following permissions:

**Session management:**

Create sessions, view all sessions, edit all sessions of the company, edit own sessions, view own sessions

**Connection reporting:**

Read connection entries

Figure 48

## 4.3 Remote control session

Once you have logged in with your TeamViewer account, you will be able to create sessions and initiate remote connections. Based on your “Session Settings” in TeamViewer the Administration page, “Remote Control Session” and “Assist AR Session” will be available.

### 4.3.1 Create remote control session

- 1) Click on “New Remote Control Session” button.




Figure 49

2) New remote control session will be created as you see in the following figure.




Figure 50

### 4.3.2 Share remote control session

- 1) Click on “Share” button.
- 2) If “Allow Custom Recipient?” check box is not checked for the object, a popup will be displayed as in following figure. The “Recipient E-Mail” field will be non-editable.




Figure 51

- 3) If “Allow Custom Recipient?” check box is checked for the object, a popup will be displayed as in following figure. The “Recipient E-Mail” field will be editable.




Figure 52

- 4) The “Recipient E-Mail” field will be auto populated with the email address value of the related object.
- 5) If an object has multiple related objects (e.g., account having multiple contacts), the popup will be displayed as in following figure.




Figure 53

- 6) In this case selecting a contact from “Select Contact” drop down will auto populate the email.
- 7) Select an email template in “Select E-Mail Template” drop down.
- 8) Click on “Share” button. You can also enter text in the Optional Chatter post which will appear in the Chatter stream.
- 9) The recipient email will receive customer link.

### 4.3.3 Starting remote control session

**Note:** Please note that to do a remote control session you will need to have the TeamViewer application installed on your computer. Please download TeamViewer from <http://www.teamviewer.com/download> before you start using the TeamViewer for Salesforce application.

- 1) Click on “Join session as Admin” button.




Figure 54

- 2) Once you have selected the Supporter Link (assuming you have already installed the native TeamViewer app), you will see a pop up asking you for permission to launch an application. On Chrome the pop up will be as the Figure below.




Figure 55

- 3) Click Launch Application. The supporter will then be connected to the TeamViewer remote control session and the image below will appear.




Figure 56

- 4) On the end user side, once he selects the URL, he/she will be prompted to download the TeamViewer Quick Support module as shown in the Figure below (for the case of connecting to a Windows PC).




Figure 57

- 5) Once the Quick support module is downloaded and launched a pop up asking the user to Allow the connection is shown and the connection is established.




Figure 58

#### 4.3.4 Closing remote control session

Once the remote control session complete, the supporter needs to close the session.

- 1) Click on the “Close Session” button.




Figure 59

- 2) After closing the remote control session, it will be look like as in following figure.






Figure 60

## 4.4 Assist AR Session

If the “Assist AR Session” option is selected in TeamViewer Administration page, the “New Assist AR Session” button will be available in the TeamViewer section.

### 4.4.1 Create Assist AR session

Click on “New Assist AR Session”. Assist AR session will be created as you see in the following figure.




Figure 61

### 4.4.2 Share Assist AR session via SMS

- 1) Click on “Share” button. A popup will be displayed as in following figure.




Figure 62

- 2) “Send Invite Via SMS To” option is checked by default. If a phone number is provided in the related object (normally the contact) the field will be prepopulated with it. If mobile and phone number values are provided in the contact, the text field is get auto filled with the mobile value.
- 3) If no phone number is available, the field is left blank and the number the TeamViewer Assist AR session will be shared with as to be entered manually.




Figure 63

- 4) If an object has multiple related objects (e.g., account having multiple contacts), the popup will be displayed as in the following figure.




Figure 64

- 5) In this case selecting a contact from “Select Contact” drop down will get auto populate by the mobile number/phone number.
- 6) Click the “Send” button.
- 7) The recipient will receive the customer link to join the remoter support session on his phone.



### 4.4.3 Share Assist AR session via email

Assist AR session supports one more option for sharing and that is via email.

- 1) Select “Send Invite Via Email”




Figure 65

- 2) The “Recipient E-Mail” field will be auto populated with the email address value of the related object
  - a. If “Allow Custom Recipient?” check box is not checked for the object in Custom Metadata Types, the “Recipient E-Mail” field will be non-editable.
  - b. If “Allow Custom Recipient?” check box is checked for the object, a popup will be displayed as in following figure. The “Recipient E-Mail” field will be editable, and the session will be sent to the e-mail address entered.




Figure 66

- c. If an object has multiple related objects (e.g., account having multiple contacts), the popup will be displayed as in following figure.




Figure 67

- 3) In this case selecting a contact from “Select Contact” drop down will auto populate the email.
- 4) Click on the “Share” button.
- 5) This will send the Assist AR session to recipient via both SMS and Email.
- 6) If you want to send the session only via email, uncheck the “Send Invite Via SMS To” check box.

#### 4.4.4 Starting the Assist AR session

- 1) Click on the supporter link or “Join session as Admin” button to start the Assist AR session.
- 2) From customer side, click on the session link received via either email or SMS.

#### 4.4.5 Closing a Assist AR session

Once the Assist AR session complete, the supporter needs to close the session.

- 1) Click on the “Close Session” button.




Figure 68

- 2) After closing the pilot session, it will be look like as in following figure.




Figure 69

## 4.5 Create New Session

User is able to create new session either from Remote control session or from Assist AR session.

### 4.5.1 Create a new session with remote control session enabled

In Administration page, only Remote control session is enabled and on creating new session from an existing remote control session is always creating a new remote control session.

- 1) Click on “Create new Session” button.




Figure 70

- 2) This will create a new remote control session with new customer and supporter links.

### 4.5.2 Create a new session with Assist AR session enabled

In Administration page, only Assist AR session is enabled and on creating new session from an existing pilot session is always create a new Assist AR session.

- 1) Click on “Create new Session” button.




Figure 71

This will create a new Assist AR session with new customer and supporter links.

#### 4.5.3 Create a new session with both remote control and Assist AR sessions enabled

If both remote control and Assist AR sessions are enabled in administration page, the new session will allow the user to opt for either remote control or Assist AR sessions. This feature is available in both remote control and Assist AR sessions.

- 1) Click on “Create new Session” button.
- 2) Click on “New Assist AR Session” will create a new Assist AR session.
- 3) Click on “Remote Control Session” will start a new remote control session.




Figure 72

## 4.6 TeamViewer History

The history of all the sessions created for the selected record will be available under History tab.

- 1) Click on “TeamViewer History” tab.




Figure 73

- 2) The History tab lists all the sessions with its details like
  - a. Session id
  - b. Valid until
  - c. Type
  - d. State
  - e. Online
  - f. Customer link
  - g. Supported link
- 3) Click on the session id will open a popup with selected session's details.




Figure 74

## 4.7 Connection Report

All sessions for a record and its details can be viewed from “Connection Report” tab.

- 1) Click on “Connection Report” tab.
- 2) You will be able to sort it based on the date.




Figure 75

3) If you select the Mobile view during the page layout configuration, it will be as follows




Figure 76

### 4.7.1 Connection report for Assets

A widget is introduced with the name “TeamViewer unattended connections” to show all connections that were made to the asset placed in this parent object. The connection will be shown only on request.

1) Click on the refresh icon




Figure 77





- The connection report for the selected device will be displayed based on the configured desktop view or mobile view

## 4.8 Companywide Connection Report

The companywide connection report shows all TeamViewer connections that were held in a selected time frame. The companywide connection report is available for users with administrator privileges.

- Select “TeamViewer Connection Report” from the App Launcher.




Figure 78

- You will be able to filter the report based on the date.

Record	Session Code	Type	DeviceId	Device Name	Supporter	Start Date	End Date	Notes
1	00001187	s29-580-795	Remote Control	899512949	App Developer User	04. April 2022, 12:19	04. April 2022, 12:19	2nd test
2	00001187	s29-580-795	Remote Control	899512949	App Developer User	04. April 2022, 11:29	04. April 2022, 11:30	case test on 4.4.2022
3	00001187	s29-580-795	Remote Control	899512949	App Developer User	04. April 2022, 12:20	04. April 2022, 12:20	test 3
4	Test Contact 2	s73-567-090	Remote Control	899512949	App Developer User	10. März 2022, 09:46	10. März 2022, 09:46	
5	Test Contact 2	s73-567-090	Remote Control	899512949	App Developer User	10. März 2022, 09:44	10. März 2022, 09:44	
6	Test Contact 2	s73-695-126	Remote Control	899512949	App Developer User	04. März 2022, 09:00	04. März 2022, 09:00	
7	Test Contact 2	s74-084-933	Remote Control	899512949	App Developer User	04. März 2022, 10:45	04. März 2022, 10:46	
8	Contact 1 31.3.22	s92-267-029	Remote Control	899512949	App Developer User	31. März 2022, 18:08	31. März 2022, 18:09	2nd meeting
9	Contact 1 31.3.22	s92-267-029	Remote Control	899512949	App Developer User	31. März 2022, 16:10	31. März 2022, 16:11	note send on 31.3.22

Figure 79

## 4.9 TeamViewer Reports

The TeamViewer package is available with 2 reports by default – TeamViewer Connections and TeamViewer Session and Connections

- Click on the “Reports” tab.
- Click on “All Folders” option from the left side menu.




Figure 80

3) Select the latest created reports “TeamViewer Reports”.




Figure 81

4) It will show the available reports with the app.




Figure 82

5) Selecting “TeamViewer Connection” will open the report containing only connections.



You Have Lightning Components Debug Mode Enabled. Salesforce is slower in debug mode. Ask your admin how to disable it, or see [Enable Debug Mode for Lightning Components](#).

Service Home Chatter Accounts Contacts Cases Reports Dashboards My Objects Teamviewer Administrat... TeamViewer Connection... X

Report: TeamViewer Connections  
TeamViewer Connections

Total Records: 89

ParentRecordName	TeamViewer Connection: TeamViewer Service Case	Type	Device Id	Device Name	Supporter	Session Start Date	Session End Date	Notes	ParentRecordLink
1 00001175	s17-187-936	Remote Control	394970062	-	App Developer User	03.02.2021, 09:56	03.02.2021, 09:56	-	Parent Record Link
2 Test Account 1	s44-153-694	Remote Control	394970062	-	App Developer User	19.01.2021, 12:13	19.01.2021, 12:14	Test account 1 - 19.1.21	Parent Record Link
3 00001168	s50-571-412	Remote Control	394970062	-	App Developer User	18.01.2021, 17:29	18.01.2021, 17:30	Case 1168 - session 1	Parent Record Link
4 Test Contact 2	s69-999-743	Remote Control	394970062	-	App Developer User	18.01.2021, 17:26	18.01.2021, 17:26	Test contact 2 - session 1	Parent Record Link
5 Test Account 1	s45-980-939	Remote Control	394970062	-	App Developer User	18.01.2021, 17:22	18.01.2021, 17:22	Test account 1 - session 2	Parent Record Link
6 Test Account 1	s45-980-939	Remote Control	394970062	-	App Developer User	18.01.2021, 17:21	18.01.2021, 17:22	Test account 1 - session 1	Parent Record Link
7 Test Account 1	s68-704-833	Remote Control	394970062	-	App Developer User	14.01.2021, 16:52	14.01.2021, 16:52	test	Parent Record Link
8 Test Account 1	s68-704-833	Remote Control	394970062	-	App Developer User	14.01.2021, 16:07	14.01.2021, 16:07	Scheduler test at 4.30 pm	Parent Record Link
9 Test Account 1	s68-704-833	Remote Control	394970062	-	App Developer User	14.01.2021, 15:21	14.01.2021, 15:21	test account 1 - schedule for 15.01.2021	Parent Record Link
10 Test Account 1	s68-704-833	Remote Control	394970062	-	App Developer User	14.01.2021, 15:20	14.01.2021, 15:20	-	Parent Record Link
11 00001168	s15-469-671	Remote Control	394970062	-	App Developer User	13.01.2021, 16:36	13.01.2021, 16:36	v2.138 - case 1168 - test contact 2	Parent Record Link
12 Test Contact 2	s19-103-640	Remote Control	394970062	-	App Developer User	13.01.2021, 16:24	13.01.2021, 16:24	v2.138 - Test Contact 2	Parent Record Link
13 Test Account 1	s00-766-189	Remote Control	394970062	-	App Developer User	13.01.2021, 16:18	13.01.2021, 16:19	v2.138 - Test account 1	Parent Record Link

Figure 83

6) Selecting “TeamViewer Session and Connections” will open the report containing all sessions details including the connections.

You Have Lightning Components Debug Mode Enabled. Salesforce is slower in debug mode. Ask your admin how to disable it, or see [Enable Debug Mode for Lightning Components](#).

Service Home Chatter Accounts Contacts Cases Reports Dashboards My Objects Teamviewer Administrat... TeamViewer Connection... X

Report: TeamViewer Sessions with Connections  
TeamViewer Sessions with Connections

Total Records: 299

Service Case	Customer Name	Duration	Notes	Session Start Date	Session End Date	Supporter	ParentId	Parent Record Name	ParentRecordLink
s00-766-189 (1)	-	00:00:23	v2.138 - Test account 1	13.01.2021, 16:18	13.01.2021, 16:19	App Developer User	0013X000031ALXpQAO	Test Account 1	Parent Record Link
s00-899-307 (1)	Contact Classic Normal Dec 16	-	-	-	-	-	0033X00002wAdDQAU	Contact Classic Normal Dec 16	Parent Record Link
s00-910-169 (1)	My Opp	-	-	-	-	-	0063X000019BAAdQAG	My Opp	Parent Record Link
s00-986-074 (1)	-	00:00:08	Case test 1	14.10.2020, 15:13	14.10.2020, 15:13	App Developer User	5003X00001y7HbmQAG	00001161	Parent Record Link
s01-471-866 (1)	Test Account 1	00:00:17	Comment on October 14, 2020 Account test 1	14.10.2020, 14:46	14.10.2020, 14:46	App Developer User	0013X000031ALXpQAO	Test Account 1	Parent Record Link
s01-561-028 (1)	Abhilash Soman	-	-	-	-	-	0033X00002vWbwQAE	Abhilash Soman	Parent Record Link
s01-671-633 (1)	Test Account 1	-	-	-	-	-	0013X000031ALXpQAO	Test Account 1	Parent Record Link
s01-842-266 (1)	Deepu Soman	-	-	-	-	-	0033X00003NescQAR	Deepu Soman	Parent Record Link
s01-942-249 (1)	Test Contact 1	-	-	-	-	-	0033X00003N8tQPQR	Test Contact 1	Parent Record Link
s02-612-222 (2)	Oppr Light Quick action	00:00:11	Oppr Light Quick action - same link - second time	24.10.2019, 15:59	24.10.2019, 15:59	App Developer User	0063X000010fjgQAC	Oppr Light Quick action	Parent Record Link
	Oppr Light Quick action	00:00:9	Oppr Light Quick action - success	24.10.2019, 15:50	24.10.2019, 15:50	App Developer User	0063X000010fjgQAC	Oppr Light Quick action	Parent Record Link
s02-697-895 (1)	Miriam Kunde Lücke	-	-	-	-	-	0033X00002Mjw6QAC	Miriam Kunde Lücke	Parent Record Link
s04-461-978 (1)	Teamviewer Account - May 13	00:00:20	connection test	07.09.2020, 14:50	07.09.2020, 14:50	App Developer User	0013X00002hyFQzQAM	Teamviewer Account - May 13	Parent Record Link
s04-055-772 (1)	00001009	-	-	-	-	-	5003X00001Hh5QAE	00001009	Parent Record Link
s04-095-929 (1)	-	-	-	-	-	-	0013X00002UJwvQAH	Burlington Textiles Corp of America	Parent Record Link
s04-301-411 (1)	Bertha Boxer	-	-	-	-	-	0003X00001BXGq4UAH	Bertha Boxer	Parent Record Link
s04-350-658 (1)	Sample	-	-	-	-	-	0063X000019B6xKQAS	Sample	Parent Record Link

Figure 84

### 4.9.1 Importing the report data from the TeamViewer Backend

To keep the data between the TeamViewer backend and salesforce synchronized 2 new options are introduced in the TeamViewer Administration section:

**Schedule Connection Report Update**  
Scheduled job to update connection report from the backend needs to be activated. Go to [Setup](#) and schedule UpdateConnectionReport task. Execute

**Synchronize connections with TeamViewer backend**  
Download connection entries from TeamViewer backend.  
Cleanup entries with no reference to this Salesforce Org. [connection\(s\)](#) do not belong to this Salesforce Org. Execute Delete All

Figure 85



## Schedule Connection Report Update

A scheduler has been introduced that fetches the data from the TeamViewer Company's account (set by the administrator) from the TeamViewer backend. This scheduler should be set and executed after the update.

- 1) Admin is allowed to update the connection report manually by clicking the “Execute” button.




Figure 86

- 2) Admin can also schedule the connection report update by setting up it via “Setup” link.
  - a. Click on “Setup” link.



Figure 87

- b. Click on “Schedule Apex” button.




Figure 88

- c. In Schedule Apex page give the following
        - i) Valid Apex name
        - ii) Select “UpdateConnectionReport” from Apex Class picklist
        - iii) Frequency – Weekly or monthly
        - iv) Start date
        - v) End date
        - vi) Preferred time
      - d. Click on “Save” button.




Figure 89

e. Under “Scheduled Jobs” section admin can see the newly scheduled job




Figure 90

### Synchronize connections With TeamViewer backend

This functionality is needed to synchronize data between the data format in the older versions of TeamViewer’s salesforce plugin.

1) Click on the “Execute” will open a popup .




Figure 91

2) Accepting “Yes” will synchronise the connections with backend.

**Note:** Please note as it was formerly possible to see data from sessions created in other salesforce orgs it can be that there are orphaned entries now, these can be shown and removed



## 4.9.2 Create Reports with TeamViewer and Salesforce data

TeamViewer offers two pre-configured reports for data generated by the TeamViewer sessions and connection within the TeamViewer app. This guide shows how to create reports within Salesforce with data across different objects using TeamViewer data and data provided from Salesforce.

For this, 3 steps are needed:

- 1) Add a field in the TeamViewer TeamViewer Session object
- 2) Create a process that fills the newly created field
- 3) Create a custom report type using the linked data

### 4.9.2.1 Add a field in the TeamViewer TeamViewer Session object

The data field used to link the objects needs to be stored in the TeamViewer Session object.

- 1) Go to Setup -> Object Manager and search for TeamViewer.




Figure 92

- 2) Select the TeamViewer session Object and select Fields & Relationships from the navigation bar.
- 3) Click “New” and create a field with following parameters by going through the wizard:
  - i) Step1: Select Lookup Relationship
  - ii) Step2: Related To: the parent object you want to use for linking, e.g., Account or Case
  - iii) Step3: For fieldname use the name of the Parent object in step2 (recommendation) and use defaults or set the other fields to your needs
  - iv) Step4: Use defaults
  - v) Step5: Untick the checkboxes as this information is not needed to be displayed

### 4.9.2.2 Create a process that fills the newly created field

Go to Setup -> Process Automation -> Process Builder and select “New”.

- a. Fill in the fields and select “A record changes” when to process should start.



## New Process

Process Name\* This field is required.

API Name\* This field is required.

Description

The process starts when\*

This field is required.

Cancel Save

Figure 93

- b. Click on “Save”.
- c. Select an object in the following screen, in our case **TeamViewer Session**.

### Choose Object and Specify When to Start the Process

Object\* This field is required.

TeamViewer Session

Start the process\*

only when a record is created

when a record is created or edited

> Advanced

Figure 94

- d. Click on the diamond symbol in the flow diagram to define an action criterion and set the following parameters:
  - i) Execute when conditions are met
  - ii) For field select sftv\_TeamViewerCase\_c
  - iii) Operator: “start with”
  - iv) Type: “String”
  - v) Value: select the 3 beginning digits of the parentID, this can be found e.g., in the URL of the browser when looking at a parent Object (e.g., an account):






Figure 95

e. The criteria definition should then look like this:




Figure 96

f. In the flow diagram click on “immediate action” and set the following parameters:

- i) Criteria for updating the Records: No Criteria
- ii) Field: select the field that was introduced in Step one to the session object
- iii) Type: Formula
- iv) Value: [sftv\_\_TeamViewerCase\_\_c].sftv\_\_ParentId\_\_c






Figure 97

- g. Click on “Save” and activate the process.

From now on all created sessions will be available for reports in the salesforce report section in the service cloud

Note: To add the information to existing records the following script can be executed and in the development console. It will access the entries once without changing the containing data

```
List<sftv__TeamViewerCase__c> cases = [SELECT Id FROM
sftv__TeamViewerCase__c];
update cases;
```

#### 4.9.2.3 Create a custom report type using the linked data

To show the Report with linked data go to Setup -> Analytics -> Reports Dashboards -> Report Types

- 1) Click continue and select “New Custom Report Type”
- 2) Choose the object you want to show the linked data with TeamViewer and salesforce (the one you also used in step 2) a primary object
- 3) Fill in the form with meaningful information



## New Custom Report Type

**Step 1. Define the Custom Report Type**

**Report Type Focus**

Specify what type of records (rows) will be the focus of reports generated by this report type.  
Example: If reporting on "Contacts with Opportunities with Partners," select "Contacts" as the primary object.

Primary Object:

**Identification**

Report Type Label:

Report Type Name:  ⓘ

Description:

Note: Description will be visible to users who create reports.

Store in Category:

**Deployment**

A report type with deployed status is available for use in the report wizard. While in development, report types are visible only to authorized administrators and their delegates.

Deployment Status:  In Development  Deployed

Figure 98

- 4) Click on "Next"
- 5) In the form select "Teamviewer Sessions" as related object and select the second option for the A to B relationship
- 6) Click on "Save"

New Custom Report Type  
TVsessionsAndCases

**Step 2. Define Report Records Set**

This report type will generate reports about Cases. You may define which related records from other objects are returned in report results by choosing a relationship to another object.

**A Cases**  
Primary Object

**B TeamViewer Sessions**

**A to B Relationship:**

Each "A" record must have at least one related "B" record.  
 "A" records may or may not have related "B" records.

(Click to relate another object)

Figure 99

- 7) Select to fields which should be available for the report in the layout editor




Figure 100

- 8) Afterwards the new record type is available in the Salesforce Report section and can be used to create dashboards

### 4.10 Event log

TeamViewer provides the ability to create event logs for events which are generated during a session. They are available for the session info widget and shown as soon as a connection selected

- 1) Click on the down arrow button in connection history
- 2) Click on View log




Figure 101

The log will be displayed with event and time

### 4.11 Enable Unattended Access to Registered Devices

User is able to enable unattended access to registered devices in salesforce which have a matching entry in the “TeamViewer MyDevices”.

- 1) In Administration page, admin can configure “Match unattended devices groups with account” option.



Figure 102

- 2) If it is not checked, then device's alias name is used to match against asset name.
- 3) If it is checked, device's alias and group name id is used to match against asset name and account name.




Figure 103

- 4) In Administration page, admin is allowed to update the TeamViewer ID manually by clicking the "Execute" button.



Figure 104

- 5) Admin can also schedule the TeamViewer ID update by setting up it via "Setup" link.
  - a. Click on "Setup" link.



Figure 105

- b. Click on "Schedule Apex" button.




Figure 106

- c. In Schedule Apex page give the following details
  - i) Valid Apex name
  - ii) Select “UpdateDeviceIds” from Apex Class picklist
  - iii) Frequency – Weekly or monthly
  - iv) Start date
  - v) End date
  - vi) Preferred time
- d. Click on “Save” button.




Figure 107

- e. Under “Scheduled Jobs” section admin can see the newly scheduled job




Figure 108

- After the update, the asset gets assigned the corresponding TeamViewer ID and “Connect” button gets enabled.




Figure 109

- Click on the “Connect” button will generate a connection link with the format `teamviewer10://control/?device=594543228`

## 4.12 TeamViewer Webbased Version

TeamViewer has created a web based client. This client allows supporters/admins to join session out of a browser window.

- In TeamViewer Administration page, admin can configure “Allow Web Based Client” option.
- By default, it is enabled.




Figure 110



- 3) If it is disabled, both Remote Control and Pilot session will work as normal.
- 4) If it is enabled,
  - a. the Pilot session will behave as before.
  - b. in Remote control session, there will be a new button “Join as admin from browser”




Figure 111

- c. Click on this button will allow the supporters/admins to join session out in a browser window. TeamViewer client installation is not required for supporter in this case.

## 4.13 Optional Session Context

In normal case when a session is created, the app sends the context information like customer name, email, description to the TeamViewer backend. Admin can deactivate this feature.

- 1) In TeamViewer administration page, there is an option “Share Context Information with TeamViewer backend”.
- 2) By default, it is checked.




Figure 112

- 3) If it is checked then, on creating a session, context information like customer name, email, description will get shared to TeamViewer backend.



- 4) If it is unchecked, on creating a session, context information will not get shared to TeamViewer backend

## 4.14 TeamViewer MyDevices

To access devices that are assigned to your TeamViewer account out of your salesforce application. TeamViewer provides the MyDevices overview. From the App Launcher, select “TeamViewer MyDevices”. In the tab a table with the devices is and if that device is online, you will be able to see a **Connect** button in that row. A TeamViewer connection will be instantiated to the device once you click on the button.

TeamViewer MyDevices

MyDevices List

User needs to be logged in to the same TeamViewer account as in Salesforce to be able to connect to the devices below.

Show 10 entries Search:

Alias	TeamViewerID	GroupID	Description	
	723545944	g110135911		Device offline
Macbook	724266433	g110135911		Device offline
Teny Peter	724009197	g78479111	Teny logicline	<b>Connect</b>
Test	978795207	g111528991		Device offline
Test	978795205	g111528991		Device offline
Test3	978795208	g111528991		Device offline
Test4	978795210	g111528991		Device offline
Test5	978795211	g111528991		Device offline
Victor	978795204	g110135911		<b>Connect</b>
Vishnu	723545944	g78479111	Vishnu logicline	Device offline

Showing 1 to 10 of 10 entries Previous 1 Next

Figure 113

## 4.15 TeamViewer Session Notification

TeamViewer app provides a notification feature where the Salesforce user will get a desktop notification when a customer connects to a teamviewer session. The salesforce user can join the session by clicking the notification. Below is the screenshot of the notification. Look and feel will be slightly different in different browsers as the notification depends on browser.



Figure 114

To get the notification, you need to enable the notifications in browser settings. The steps to enable notification might be different for different browsers. The notification feature is available in Salesforce lightning, classic and console. But the configuration step is different for each of them.





### 4.15.1 Enable TeamViewer notification in Salesforce classic

We have included a home page component for notification to show notification in Salesforce classic. Below are the steps to enable the notification in Classic.

- 1) Assign home page component to a home page layout by going to Home Page Layouts section in Setup.

#### Home Page Layouts

This page allows you to create different tab layouts for the Home Tab.

Action	Name ↑	Created By	Last Modified By
<a href="#">Edit</a>   <a href="#">Del</a>	<a href="#">Home page</a>	<a href="#">Arun Menon</a> 10/10/2017 12:15 PM	<a href="#">Arun Menon</a> 10/10/2017 12:15 PM

Figure 115

- 2) Click Edit in the home page layout where you want to add the notification component.

#### Edit Home Layout

Step 1. Select the components to show

Choose the components to include on your home page layout.

Layout Name:

Select Wide Components to Show

- Items to Approve
- Tasks
- Paused Flow Interviews
- Calendar
- Dashboard Snapshot

Select Narrow Components to Show

- Create New...
- Messages & Alerts
- Tags
- TVSessionNotification
- Recent Items
- Custom Links
- Customer Portal Welcome

Next Cancel

Figure 116

- 3) You need to tick the checkbox next to TVSessionNotification component to make it available in home page.
- 4) In order to make the home page component to be available in all pages, we need to enable that option in Setup -> User Interface.

#### User Interface

Modify your organization's user interface with the following settings:

User Interface

- Enable Collapsible Sections
- Show Quick Create
- Enable Hover Details
- Enable Related List Hover Links
- Enable Separate Loading of Related Lists
- Enable Separate Loading of Related Lists of External Objects
- Enable Inline Editing
- Enable Enhanced Lists
- Enable the Salesforce Classic 2010 User Interface Theme

Some features like Chatter require the Salesforce Classic 2010 user interface theme. Disabling this theme automatically disables Chatter in both Salesforce Classic and Lightning Experience.

- Enable Tab Bar Organizer
- Enable Printable List Views
- Enable Customization of Chatter User Profile Pages
- Enable Salesforce Notification Banner

Sidebar

- Enable Collapsible Sidebar
- Show Custom Sidebar Components on All Pages

Figure 117



## 4.15.2 Enable TeamViewer notification in the Salesforce console

We have included a console component in our package to show session notification in Salesforce console. Below are the steps to enable notification in the console.

- 1) Edit the console app in which you need to include the notification

### Apps

Help for this Page

An app is a group of tabs that work as a unit to provide functionality. Users can switch between apps using the Force.com app drop-down menu at the top-right corner of every page. You can customize existing apps to match the way you work, or build new apps by grouping standard and custom tabs.

Custom apps work in conjunction with User Profile Tab Visibility settings. [View User Profiles now.](#)

Action	App Label	Console	Custom	Description
Edit	App Launcher	<input type="checkbox"/>	<input type="checkbox"/>	App Launcher tabs
Edit	Community	<input type="checkbox"/>	<input type="checkbox"/>	Salesforce CRM Communities
Edit	Content	<input type="checkbox"/>	<input type="checkbox"/>	Salesforce CRM Content
Edit   Del	Force.com	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Start Here
Edit	Marketing	<input type="checkbox"/>	<input type="checkbox"/>	Best-in-class on-demand marketing automation
Edit	Platform	<input type="checkbox"/>	<input type="checkbox"/>	The fundamental Force.com platform
Edit	Sales	<input type="checkbox"/>	<input type="checkbox"/>	The world's most popular sales force automation (SFA) solution
Edit	Salesforce Chatter	<input type="checkbox"/>	<input type="checkbox"/>	The Salesforce Chatter social network, including profiles and feeds
Edit	Sample Console	<input checked="" type="checkbox"/>	<input type="checkbox"/>	(Salesforce Classic) Lets agents work with multiple records on one screen
Edit	Service	<input type="checkbox"/>	<input type="checkbox"/>	Manage customer service with accounts, contacts, cases, and more
Edit	Site.com	<input type="checkbox"/>	<input type="checkbox"/>	Build pixel-perfect, data-rich websites using the drag-and-drop Site.com application, and manage content and published sites.

Action	App Label	Description
Edit	Profile (Others)	The tabs displayed when users view someone else's profile
Edit	Profile (Self)	The tabs displayed when users view their own profile

Connected Apps [New](#) [Connected Apps Help](#)

No Apps found.

Figure 118

- 2) Select TVSessionNotification component in the section Choose Console Components and add that to Selected Items.
- 3) The notification component will be added at the bottom right corner in Console app.

Contacts | Opportunities | Cases | Open Activities | Activity History | Notes & Attachments | Partners

Account Detail [Edit](#) [Delete](#) [Include Offline](#) [Submit for Approval](#)

Account Owner	Arun Menon <a href="#">Change</a>	Rating	
Account Name	Dickenson pic <a href="#">View Hierarchy</a>	Phone	(785) 241-6200
Parent Account		Fax	(785) 241-6201
Account Number	00634267	Website	<a href="http://dickenson-consulting.com">http://dickenson-consulting.com</a>
Account Site		Ticker Symbol	
Type	Customer - Channel	Ownership	Private
Industry	Consulting	Employees	120
Annual Revenue	\$0.000.000 €	BIC Code	6752
Billing Address	1301 Hoch Drive Lawrence, KS 66045 USA	Shipping Address	1301 Hoch Drive Lawrence, KS 66045 USA
Created By	Arun Menon, 22/6/2017 3:24 PM	Last Modified By	Arun Menon, 22/6/2017 3:24 PM
Description			

[Edit](#) [Delete](#) [Include Offline](#) [Submit for Approval](#)

Contacts [New Contact](#) [Merge Contacts](#) [Contacts Help](#)

Action	Contact Name	Title	Email	Phone
Edit   Del	Arun Young	SVP Operations	a_young@dickenson.com	(785) 241-6200

Interaction Log [Save Log](#) [Save & New Log](#) [Clear Log](#)

Name: --None-- Related To: Account: Dickenson pic Enter your notes here...

Subject:

TV Session Notification

Figure 119

## 4.15.3 Enable TeamViewer notification in Salesforce lightning

In the lightning experience, to enable notification you need to go to Setup -> Apps -> App Manager.




Figure 120

- 1) The notification can be added only in Apps with App Type Lightning.
- 2) Edit the app in which you need to add notification.
- 3) When you edit the app, you will see a section Utility Bar.
- 4) Click Add and select Visualforce.




Figure 121





- Click on “Home” picklist and select the object in which you want to add the components




Figure 124

- Click on the lightning icon




Figure 125

- Scroll down to view the “Custom Components”
- Drag and drop each component to the detail section




Figure 126

- Select each component and add value in “Community Prefix” field.




Figure 127

- 9) This need to be filled in case you indent to use it in a community which has url suffix.  
**Note:** To know the suffix, click on “Workspaces” in “All Sites” page -> Click on “Administration” -> Click on edit icon
- 10) After filling the values click on “Publish” button.




Figure 128

- 11) This will open a confirmation popup and click on the “Publish” button in the popup.




Figure 129



## 4.16.2 View the TeamViewer components in the experience cloud

Once the components published, to view the components in experience cloud

- 1) Open the Experience cloud url.
- 2) Search for the record to be displayed and select it




Figure 130

- 3) It will load the corresponding record

Case  
TVSFAPP-455 case 3

Priority: Medium, Status: New, Case Number: 00001206

TeamViewer

Session Number: s21-917-415  
Valid until: Dienstag, 30. Aug. 2022, 16:37  
Customer Link: <https://get.teamviewer.com/v15/s21917415>  
Supporter Link: <https://get.teamviewer.com/v15/s21917415-1TemWvFFYJn>

Session History (2)

Session Code	Type	DeviceId	Device Name	Supporter	Start Date	End Date	Notes
1 s21-917-415	Remote Control	899512949		App Developer User	29. August 2022 um 16:38	29. August 2022 um 16:40	share on
2 s67-633-717	Remote Control	899512949		App Developer User	29. August 2022 um 16:26	29. August 2022 um 16:27	Note - no share
3 s67-633-717	Remote Control	899512949		App Developer User	29. August 2022 um 16:30	29. August 2022 um 16:30	

Figure 131